

型 式 (呼称) (定尺2m)	梱包数 (セット)	1セットの重量 (本体+フタ)		1箱の重量 (梱包数×1セットの重量+箱重量)		箱 (種類)
		側孔規格	重量 (単位: g)	側孔規格	重量 (単位: g)	
KD-23-20-□	50	H	360	H	19,390	A
		T	—	T	—	
		LL	—	LL	—	
		NP	380	NP	20,390	
KD-N23-20-□	50	H	—	H	—	A
		T	410	T	21,890	
		LL	—	LL	—	
		NP	450	NP	23,890	
KD-33-20-□	40	H	540	H	23,260	D
		T	—	T	—	
		LL	—	LL	—	
		NP	570	NP	24,460	
KD-53-20-□	20	H	—	H	—	A
		T	750	T	16,390	
		LL	—	LL	—	
		NP	800	NP	17,390	
KD-24-20-□	40	H	550	H	23,930	B
		T	540	T	23,530	
		LL	520	LL	22,730	
		NP	620	NP	26,730	
KD-34-20-□	40	H	580	H	24,860	D
		T	570	T	24,460	
		LL	545	LL	23,460	
		NP	660	NP	28,060	
KD-44-20-□	40	H	690	H	29,530	B
		T	680	T	29,130	
		LL	655	LL	28,130	
		NP	740	NP	31,530	
KD-64-20-□	20	H	970	H	21,330	B
		T	960	T	21,130	
		LL	—	LL	—	
		NP	1,060	NP	23,130	
KD-74-20-□	20	H	1,040	H	22,730	B
		T	1,030	T	22,530	
		LL	—	LL	—	
		NP	1,080	NP	23,530	
KD-26-20-□	40	H	730	H	31,130	B
		T	720	T	30,730	
		LL	620	LL	26,730	
		NP	870	NP	36,730	
KD-36-20-□	30	H	750	H	24,430	B
		T	730	T	23,830	
		LL	640	LL	21,130	
		NP	920	NP	29,530	
KD-46-20-□	30	H	880	H	28,330	B
		T	860	T	27,730	
		LL	770	LL	25,030	
		NP	1,060	NP	33,730	
KD-56-20-□	20	H	1,040	H	22,730	B
		T	1,030	T	22,530	
		LL	940	LL	20,730	
		NP	1,210	NP	26,130	

KD-66-20-□	20	H	1,150	H	24,930	B
		T	1,130	T	24,530	
		LL	1,040	LL	22,730	
		NP	1,320	NP	28,330	
KD-76-20-□	20	H	1,270	H	27,500	C
		T	1,250	T	27,100	
		LL	1,170	LL	25,500	
		NP	1,450	NP	31,100	
KD-86-20-□	14	H	1,330	H	20,550	B
		T	1,310	T	20,270	
		LL	1,250	LL	19,430	
		NP	1,550	NP	23,630	
KD-106-20-□	10	H	1,550	H	17,430	B
		T	1,540	T	17,330	
		LL	1,440	LL	16,330	
		NP	1,730	NP	19,230	
KD-156-20-□	6	H	—	H	—	B
		T	—	T	—	
		LL	2,460	LL	16,690	
		NP	2,730	NP	18,310	
KD-28-20-□	24	H	800	H	21,130	B
		T	—	T	—	
		LL	690	LL	18,490	
		NP	1,080	NP	27,850	
KD-38-20-□	24	H	930	H	24,250	B
		T	910	T	23,770	
		LL	770	LL	20,410	
		NP	1,200	NP	30,730	
KD-48-20-□	18	H	1,070	H	20,920	D
		T	1,040	T	20,380	
		LL	930	LL	18,400	
		NP	1,340	NP	25,780	
KD-58-20-□	12	H	1,200	H	16,060	D
		T	1,190	T	15,940	
		LL	1,060	LL	14,380	
		NP	1,470	NP	19,300	
KD-68-20-□	12	H	1,310	H	17,380	D
		T	1,280	T	17,020	
		LL	1,150	LL	15,460	
		NP	1,560	NP	20,380	
KD-88-20-□	14	H	1,560	H	23,940	C
		T	1,540	T	23,660	
		LL	1,410	LL	21,840	
		NP	1,890	NP	28,560	
KD-108-20-□	8	H	1,850	H	16,730	B
		T	1,820	T	16,490	
		LL	1,680	LL	15,370	
		NP	2,120	NP	18,890	
KD-210-20-□	20	H	990	H	21,460	D
		T	—	T	—	
		LL	790	LL	17,460	
		NP	1,310	NP	27,860	
KD-310-20-□	20	H	1,050	H	22,930	B
		T	—	T	—	
		LL	870	LL	19,330	
		NP	1,390	NP	29,730	

KD-410-20-□	18	H	1,240	H	24,420	C
		T	1,170	T	23,160	
		LL	1,010	LL	20,280	
		NP	1,630	NP	31,440	
KD-610-20-□	12	H	1,490	H	19,810	B
		T	1,430	T	19,090	
		LL	1,300	LL	17,530	
		NP	1,870	NP	24,370	
KD-810-20-□	12	H	1,740	H	22,980	C
		T	1,690	T	22,380	
		LL	1,520	LL	20,340	
		NP	2,180	NP	28,260	
KD-1010-20-□	6	H	1,990	H	13,870	B
		T	1,960	T	13,690	
		LL	1,790	LL	12,670	
		NP	2,430	NP	16,510	
KD-1510-20-□	6	H	—	H	—	C
		T	—	T	—	
		LL	2,800	LL	18,900	
		NP	3,460	NP	22,860	
KD-1015-20-□	4	H	2,760	H	12,970	B
		T	3,020	T	14,010	
		LL	2,750	LL	12,930	
		NP	3,600	NP	16,330	

箱サイズ・重量

種類	L × W × H (mm)	箱重量 (単位:g)
A	2,050 × 145 × 185	1,390
B	2,050 × 145 × 385	1,930
C	2,050 × 180 × 385	2,100
D	2,050 × 145 × 300	1,660